



PROTECTION AND COMFORT FOR YOUR HANDS

Tel: (562) 777-8026 • (888) 3ADENNA • Fax: (562) 777-8905
info@adenna.com • www.adenna.com

MATERIAL SAFETY DATA SHEET

Silver Latex Powder Free Exam Gloves

Physical Data- Composition

Natural Rubber Latex	95.0 - 98.0%
Ammonium Laurate	0.01 - 0.20%
Lowinox CPL	0.60 - 1.00%
Teric 320	0.10 - 0.20%
Zinc Oxide	0.35 - 0.60%
ZDEC (Zinc diethyldithiocarbamate)	0.20 - 0.80%
ZDMC (Zinc dimethyldithiocarbamate)	0.10 - 0.50%
ZDBC (Zinc dibutyldithiocarbamate)	0.10 - 0.60%
Sulphur	0.60 - 1.30%
Titanium Dioxide	0.50 - 0.80%
Potassium Hydroxide	0.10 - 0.50%

Small amount of a mold release lubricant is used. It is used as a lubricant on gloves to facilitate stripping from the formers. Most of the calcium carbonate is removed from the gloves during the chlorination washing process.

Product: Schaefer Precarb

Chemical Name: Precipitated Calcium Carbonate CAS# 471-34-1

Manufacturer: Schaefer Honaik

Fire & Explosion

Stability: Stable. Material will not support combustion.

Extinguishing Media: Foam, Carbon Dioxide, Dry Powder, Water Spray

Precaution

This product contains natural rubber latex which may cause allergic reactions. Other components used in making gloves may also cause allergic reactions in some individuals. If user or a patient are allergic to latex or experience any discomfort, discontinue use immediately and consult with a physician.

Do not reuse gloves. Good quality exam gloves provide an excellent biological barrier. They are not intended for use as a chemical barrier.

Storage

Store in original packing in a cool, dry and well ventilated area, away from dust, sunlight, moisture, X-ray, and excessive heat above 100°F (37°C).