

MATERIAL SAFETY DATA SHEET (Page 1 of 3)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

REVISED DATE: 02/14/05

SECTION 1: IDENTIFICATION

PRODUCT NAME: ANTI-ITCH – DUAL ACTION GEL

Chemical Family: 2.00% Diphenhydramine HCL
Manufacturer's Name: Coretex Products, Inc.
Address: 1850 Sunnyside Court
Bakersfield, CA 93308
Information Number: (661) 833-1572
Emergency Number: (800) 255-3924 – 24 HOURS

SECTION 2: PHYSICAL DATA

Specific Gravity 25/25: 1.01 @ 60/60F Boiling Point: Deg C. 201F
Vapor Pressure: < 38mm Hg @ 20F Physical State: Liquid Gel
Vapor Density: [Air =1] : 1.26
Solubility in Water: SOLUBLE IN WATER

SECTION 3: FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup F): Deg 268
Extinguishing Media: Water CO2 Dry Chemical Foam Water Fog
Special Fire Fighting Procedures: Protect from heat and flame
Unusual Fire and Explosion Hazards: Dense Smoke May be Generated. Carbon Monoxide, Carbon Dioxide, & other oxides may be generated.

NFPA FLAMMABILITY CODE : 1

SECTION 4: REACTIVITY DATA

Stability: Presents no significant reactivity hazard, not pyrophoric nor reactive with water.

Incompatibility (Materials to Avoid): AVOID CONTACT WITH OXIDIZERS

Hazardous Combustion or Decomposition Products: Burning liberates CO, CO2 and smoke. Does not form explosive mixtures with organic materials. Does not undergo explosive decomposition and is shock stable. It is not an oxygen donor.

Hazardous Polymerization: Will NOT undergo spontaneous exothermic polymerization.

NFPA REACTIVITY CODE : 0

MATERIAL SAFETY DATA SHEET (Page 2 of 3)

PRODUCT NAME: ANTI-ITCH – DUAL ACTION GEL

SECTION 5: SPILL OR LEAKAGE PROCEDURES

Cleanup of spills or accidental release of material: Soak up with suitable absorbent.

Waste Disposal Methods: Incineration or sanitary landfill in accordance with Local, State and Federal Regulations and consistent with good ecological practices.

SECTION 6: SPECIAL PROTECTION INFORMATION

Respiratory: Use NIOSH/MSHA Approved Respirator if TLV is exceeded.
Ventilation: General Mechanical
Protective Gloves: Volatile Resistant is skin contact is anticipated.
Eye Protection: Splash proof goggles if handling methods warrant them.
Other Protective Equipment:

SECTION 7: EMERGENCY AND FIRST AID PROCEDURES

Eye (Contact): In the event of accidental contact with eyes, irrigate copious amounts of water; if irritation persists obtain medical advice.

Skin (Contact): Remove contaminated clothing. Flush exposed areas with copious amounts of mild soap & water. Material may remove some of the natural oils in the skin. If irritation persists obtain medical advice.

Inhalation: Move to fresh air. Give artificial respiration if breathing has stopped.

Ingestion: Give either 10 grains of potassium permanganate or one tablespoon of medical charcoal in a tumbler full of water. Emetics or stomach tube should be used by a physician. Give gastric lavage followed by saline catharsis.

MATERIAL SAFETY DATA SHEET (Page 3 of 3)

PRODUCT NAME: ANTI-ITCH – DUAL ACTION GEL

SECTION 8: EXPOSURE DATA

Primary route of exposure: Skin Contact & Possible Inhalation

The approximated vapor pressure of the mixture is sufficiently high enough to be a significant route of exposure.

OSHA PEL: Not Determined

ACGIH TLV: Not Determined

Material is NOT found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.

SECTION 9: HEALTH HAZARDS

Carcinogenicity: NO NTP?: NO

IARC?: NO OSHA Regulated: NO

EFFECT AND HAZARDS OF EYE CONTACT:

Mild Eye Irritation.

EFFECTS AND HAZARDS OF SKIN CONTACT:

Should not be allowed to come in contact with open wounds.

EFFECT AND HAZARDS OF INHALATION (Breathing):

Denatured Ethyl Alcohol is a strong lung irritant. It should not be inhaled. The first symptoms are a feeling of uneasiness with a heightened reflex of irritability, followed by muscular twitch in some parts of the body. With larger doses this is followed by a sense of impending suffocation. Convulsions usually follow which can cause death. Denatured Ethyl Alcohol may cause headache, drowsiness or tremors.

EFFECTS AND HAZARDS OF INGESTION (Swallowing):

Denatured Ethyl Alcohol should not be ingested. May cause a heightened reflex of irritability; followed by muscular twitch in some parts of the body. With larger doses this is followed by a sense of impending suffocation. Convulsions usually follow which can cause death. Denatured Ethyl Alcohol may cause headache, drowsiness or tremors, anorexia, nausea, narcosis or mental confusion.